



Haws øyedusj, modell 7612 Axion

Best. nr: 7612

Anslutning: DN 15 – ½" RG

Vannmengde: 14 l/min.

Rør i forkrommet messing.

Betjeningshendel i rustfritt stål.

AXION msr – unikt patentert spylebilde

Automatisk trykk- og mengderegulering.

Monteres på høyre side av vask/servant.


Svinges 90° over vask ved bruk.


Vi anbefaler bruk av temperert vann til øye/ansiktsdusj,

Sikkerhetsblander: Modell MixSafe V3




PARTS BREAKDOWN




 Haws [®]		1455 KLEPPE LANE SPARKS, NEVADA 89431 (775) 359-4712 FAX (775) 359-7424 E-MAIL: HAWS@HAWSCO.COM WEBSITE: WWW.HAWSCO.COM	
		ECN NO: _____ ECN: 4351 REVISOR: IR	MODEL(S) 7612
DRAWN: CLF APPROVED: _____	DATE: 3/02/93 DATE: _____	CHKD: _____ POLISH CHROME PLATE DECK MTD E/F WASH	DRAWING NO.: 11456C00 REV. 10
SCALE: 1/2		DRAWING TYPE: PARTS BREAKDOWN	SIZE: A SHEET 1 OF 1

WHEN ORDERING PARTS PLEASE SPECIFY YOUR MODEL NUMBER



**MOUNTING HOLE
DETAIL**



NOTES:

1. THE ANSI Z358.1-2009 STANDARD SPECIFIES EYEWASH NOZZLE HEIGHTS TO BE 83.8cm (33 IN.) TO 114.3cm (45 IN.) ABOVE THE FLOOR. CENTERLINE OF EYEWASH HEADS MUST BE 15.2cm (6 IN.) MIN. AWAY FROM WALL OR NEAREST OBSTRUCTION.
2. DIMENSIONS MAY VARY $\pm 1/2"$ [12.7mm]

		Haws®	
1455 KLEPPELANE SPARKS, NEVADA 89431 (775) 359-4712 FAX (775) 359-7424 EMAIL: HAWS@HAWS.CO.COM WEBSITE: WWW.HAWSCO.COM		PART NUMBER: 0002080064.D	
EON NO. REVISED PER BY:	MODEL(S)	DRAWING NO. REV	
1 EON 4381 JR	7612	09193A00 1/0	
DRAWN: []	DATE: []	SCALE: 1/4"	
CHECKED: []	DATE: []	DRAWING TYPE: INSTALLATION	
APPROVED: []	DATE: []	SIZE: A SHEET: 1 OF 1	